

THINK SOLID BENCHTOPS

Date 01.07.2019

This SDS adheres to the standards and regulatory requirements of Australia and may not meet the regulatory requirements in other countries.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Think Solid Benchtops
Recommended use : Sheets used as benchtops

Restrictions on use : Do not use product for anything outside of the above specified use.

Manufacturer, importer, supplier representative office

Company CASF International Pty Ltd
Street Address Unit 4, 208 Walters Road

Arndell Park NSW 2148

Telephone : 1300 366 113

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical NameCAS-No.ConcentrationSolid Surface Material100 %

Exposure limits may be applicable for the following:

Dust (inhalable and respirable fraction)

Methyl methacrylate 80-62-6
Styrene 100-42-5

3. HAZARDS IDENTIFICATION

Hazardous classification

Not classified as dangerous goods according to the ADG Code. Not classified as hazardous according to criteria of NOHSC.

Specific hazards

The product as such is not hazardous.

The hazards of this product are associated mainly with its processing.

Operations such as sawing, routing, drilling and sanding can generate dust.

May form combustible dust concentrations in air (during processing).

High concentrations of dust can irritate eyes, nose and respiratory system and cause coughing and sneezing. Solid Surface material does not emit gas at room temperature. At higher temperatures, small amounts of methyl methacrylate or styrene can be released. The amounts are dependent upon temperature, time and other variables.

4. FIRST AID MEASURES

Inhalation : If large amounts of dust are inhaled, or if exposed to fumes from overheating or

combustion, move to fresh air.

Skin contact : No hazards which require special first aid measures.

Eye contact : Rinse thoroughly with plenty of water, also under the eyelids.



THINK SOLID BENCHTOPS

Date 01.07.2019

Ingestion : No hazards which require special first aid measures.

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Water spray, Dry chemical, Carbon dioxide (CO2), Foam

Specific hazards during

firefighting

: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and

in the presence of an ignition source is a potential dust explosion hazard.

Hazardous combustion products Carbon monoxide Carbon dioxide (CO2)

Methyl methacrylate monomer Aldehydes

Styrene

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : No special precautions required.

Environmental precautions : No special environmental precautions required.

Methods for cleaning up : Dust Deposits should not be allowed to accumulate on surfaces, as these may

form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with

compressed air). Nonsparking tools should be used.

7. HANDLING AND STORAGE

Handling

Advice on safe handling

Do not breathe dust. Do not breathe vapours or fumes that may be evolved during processing. Wash hands before breaks and at the end of workday. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Storage

Requirements for storage areas and containers

: No special storage conditions required.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Chemical Name	Occupational Exposure Limits	Regulation	
Chemical Name	Occupational Exposure Limits	riegulation	



THINK SOLID BENCHTOPS

Date 01.07.2019

Dust (inhalable and respirable fraction)	TWA	10 mg/m3 (Inhalable particles.)	US. ACGIH Threshold Limit Values (2009)
	TWA	3 mg/m3 (Respirable particles.)	US. ACGIH Threshold Limit Values (2009)
Methyl methacrylate	TWA	50 ppm, 208 mg/m3	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment) (08 2005)
	STEL	100 ppm, 416 mg/m3 (SKIN)	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment) (08 2005)
	TWA	50 ppm	US. ACGIH Threshold Limit Values (01 2010)
	STEL	100 ppm	US. ACGIH Threshold Limit Values (01 2010)
Styrene	TWA	20 ppm	US. ACGIH Threshold Limit Values (2009)
	STEL	40 ppm	US. ACGIH Threshold Limit Values (2009)
	TWA	50 ppm, 213 mg/m3	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment) (08 2005)
	STEL	100 ppm, 426 mg/m3	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment) (08 2005)

Engineering measures

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required. A Class P2

dust mask that conforms to AS/NZS 1716 – "Respiratory Protective Devices" is

recommended when the dust concentration is more than 10 mg/m3.

Hand protection : Wear leather or cotton gloves when grinding, sawing, routing, drilling or

sanding

Eye protection : Safety glasses



THINK SOLID BENCHTOPS

Date 01.07.2019

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : solid

Colour : various

Odour : odourless

Flash point : not applicable

Water solubility : insoluble

10. STABILITY AND REACTIVITY

Conditions to avoid : None reasonably foreseeable. Stable under normal conditions.

Hazardous decomposition

products

: Methyl methacrylate monomer

Styrene

11. TOXICOLOGICAL INFORMATION

Further information : This product has no known adverse effect on human health.

12. ECOLOGICAL INFORMATION

Further information on ecology

Additional ecological

information

: This product has no known eco-toxicological effects.

13. DISPOSAL CONSIDERATIONS

Product : Can be landfilled or incinerated, when in compliance with local regulations.

14. TRANSPORT INFORMATION



THINK SOLID BENCHTOPS

Date 01.07.2019

Further information : Not classified as dangerous goods according to the ADG Code.

15. REGULATORY INFORMATION

Further information : Not classified as hazardous according to criteria of NOHSC.

National regulatory information

SUSMP : No poison schedule number allocated.

16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet:

- 1. National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)]
- 2. Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1999)]
- 3. List of Designated Hazardous Substances [NOHSC:10005(1999)]
- 4. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]
- 5. Australian Code for the Transport of Dangerous Goods by Road & Rail No. 7 [National Transport Commission]
- 6. Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)
- 7. National Code of Practice for the Labelling of Workplace Substances [NOHSC:2012(1994)]

Department:

CASF International Pty Ltd

Unit 3, 208 Walters Road Arndell Park NSW 2148

Further information:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.